

KCC 4936 (K-C 17,049)
PATENT

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) An elastic attachment adhesive composition comprising between about ~~[[70%]]~~ 75% and about 90% rubber based adhesive and between about 10% and about 30% crystalline polymer having a degree of crystallinity of at least about 40%, wherein the rubber-based adhesive is selected from the group consisting of styrene-isoprene-styrene, styrene-butadiene-styrene, styrene-ethylene/propylene-styrene, styrene/ethylene-co-butadiene/styrene, and styrene-poly(ethylene-propylene)-styrene-poly(ethylene-propylene), and wherein the adhesive composition is suitable for bonding together a first elastomeric substrate and a second substrate.

2. (Canceled).

3. (Original) The adhesive composition of Claim 1, comprising between about 80% and about 90% of the rubber-based adhesive, and between about 10% and about 20% of the crystalline polymer.

4. (Original) The adhesive composition of Claim 1, wherein the degree of crystallinity of the crystalline polymer is at least about 60%.

5. (Original) The adhesive composition of Claim 1, wherein the degree of crystallinity of the crystalline polymer is at

KCC 4936 (K-C 17,049)
PATENT

least about 80%.

6. (Original) The adhesive composition of Claim 1, wherein the crystalline polymer has a number-average molecular weight between about 3,000 and about 200,000.

7. (Original) The adhesive composition of Claim 1, wherein the crystalline polymer has a number-average molecular weight between about 10,000 and about 100,000.

8. (Original) The adhesive composition of Claim 1, wherein the adhesive composition has a melt index between about 200 and about 2000 grams per 10 minutes.

9. (Original) The adhesive composition of Claim 1, wherein the adhesive composition has a melt index between about 400 and about 1800 grams per 10 minutes.

10. (Original) The adhesive composition of Claim 1, wherein the adhesive composition has a melt index between about 500 and about 1500 grams per 10 minutes.

11. (Canceled).

12. (Original) The adhesive composition of Claim 1, wherein the crystalline polymer comprises at least one of the group consisting of isotactic polymer, syndiotactic polymer, and combinations thereof.

13. (Original) The adhesive composition of Claim 1,

KCC 4936 (K-C 17,049)
PATENT

wherein the crystalline polymer comprises isotactic polypropylene.

14. (Original) The adhesive composition of Claim 1, wherein the crystalline polymer is selected from the group consisting of: high density polyethylene, isotactic polystyrene, isotactic polybutene, and combinations thereof.

Claims 15-65 (Canceled).